



MONITOR MOUNTING SOLUTIONS



end-user focused

faster installation

superior service

proven quality

Single-Monitor Solutions

■ Faster Installation


Chief's single monitor solutions ship fully assembled for a clean look with quick and easy installation

■ End-User Focused

Ergonomically designed to move with the user, maximizing desktop space, comfort and productivity

■ Proven Quality and Superior Service

Made of solid steel construction and backed by more than 28 years of experience



Dual-Monitor Solutions

■ Faster Installation

Top-down desk clamps and self-supporting monitor adjustment allow for fast, simple installation

■ End-User Focused

Increase viewing area and efficiencies while reducing errors and employee health issues

■ Proven Quality and Superior Service

Standard on-time and rapid shipment within 48 hours




Table Stand Solutions

■ Faster Installation


Chief's free-standing array mounts include pre-assembled components

■ End-User Focused

Custom configurations provide the ultimate flexibility with a wide variety of solutions, perfect for any installation

■ Proven Quality and Superior Service

Industry leading 10-year warranty





CHIEF® MONITOR MOUNTING SOLUTIONS PRODUCT SELECTION

DESK MOUNTS

single

KCD110
Dual Arm Standard



MAX WEIGHT: 40 lbs (18 kg)

16.5" (41.9 cm) EXTENSION

KCG110
Dual Arm Height Adjustable



MAX WEIGHT: 25 lbs (11 kg)

20" (50.8 cm) EXTENSION

KWD110
Dual Arm Standard



MAX WEIGHT:

16" (40.6 cm) E

dual/triple

KCY220
Multi Arm Height Adjustable*



MAX WEIGHT: 40 lbs (18 kg)

20" (50.8 cm) EXTENSION

KCD220
Dual Arm Standard



MAX WEIGHT: 40 lbs (18 kg)

20.5" (50.1 cm) EXTENSION

KCD320
Dual Arm Standard



MAX WEIGHT: 40 lbs (18 kg)

20.5" (50.1 cm) EXTENSION

KWD220
Dual Arm Standard



MAX WEIGHT: 40

20" (50.8 cm) EXT

*Maximum of 20 lbs (9 kg) per monitor and 40 lbs (18 kg) total mount weight capacity.

TABLE STANDS

KTP220
Horizontal Dual



MAX WEIGHT: 60 lbs (27 kg)

KTP230
Vertical Dual



MAX WEIGHT: 60 lbs (27 kg)

KTP320
Horizontal Triple



MAX WEIGHT: 90 lbs (41 kg)

KTP440
Quad Array



MAX WEIGHT: 120 lbs (54 kg)

Dual array mounts are 27" (69 cm); triple array mounts are 41" (104 cm).



WALL MOUNTS AND CUSTOM BRACKETS

KWG110

Dual Arm Height Adjustable



S B

40 lbs (18 kg)

EXTENSION

S B

MAX WEIGHT: 25 lbs (11 kg)

19.5" (49.5 cm) EXTENSION

Wall mounts ship standard with hardware to attach to a wood stud, and the price includes the selection of custom interface bracket (OFB) as a separate line item. Custom OFB brackets are available for all major office systems for the connection types listed below.



Panel-to-Panel



Corner Panel



Tool Tile



Wall Track

KWD320

Dual Arm Standard



S B

40 lbs (18 kg)

EXTENSION

S B

MAX WEIGHT: 75 lbs (34 kg)

24" (62.2 cm) EXTENSION

CUSTOM TABLE STAND SOLUTIONS

Create your own multi-monitor display using a variety of Chief mounting solutions and accessories.
See back panel for details.

Configurations include:

Figure A

- KTA320 Triple Monitor Horizontal Array Pole Connection (3)
- KTA1000 Grommet Connection for Table Stand
- KTA1042 42" (107 cm) Extension Column

Figure B

- KTA320 Triple Monitor Horizontal Array Pole Connection (4)
- KTA1000 Grommet Connection for Table Stand (2)
- KTA1001 Array Connector (2)
- KTA1028 28" (71 cm) Extension Column (2)



A



B

To specify color options, add S (silver) or B (Black) to the model number.
FOR A COMPLETE LIST OF FLAT PANEL ACCESSORIES, VISIT WWW.CHIEFMFG.COM

SPECIFICATIONS

Single Monitor

Model	Configuration	Height Adjustment	Max Extension	Depth in Closed Position	Weight Capacity	Centris™	Color(s)
KCD110	Dual Arm Desk Mount	–	16-3/8" (416 mm)	2-3/16" (56 mm)	40 lbs (18.2 kg)	●	■ □
KCG110	Dual Arm Desk Mount	13-1/4" (337 mm)	20" (508 mm)	2-3/16" (56 mm)	25 lbs (11.4 kg)	●	■ □
KWD110	Dual Arm Wall Mount	–	15-15/16" (405 mm)	2-1/6" (55 mm)	40 lbs (18.2 kg)	●	■ □
KWG110	Dual Arm Wall Mount	13-1/4" (337 mm)	19-1/2" (495 mm)	2-3/16" (56 mm)	25 lbs (11.4 kg)	●	■ □

Dual/Triple Monitor

Model	Configuration	Height Adjustment	Max Extension	Depth in Closed Position	Weight Capacity	Centris™	Color(s)
KCY220	Dual Arm Desk Mount	13-1/4" (337 mm)	20" (508 mm)	2-3/16" (56 mm)	40 lbs* (18.2 kg)	●	■ □
KCD220	Dual Arm Desk Mount	–	20-2/5" (518 mm)	6-2/5" (163 mm)	40 lbs (18.2 kg)	●	■ □
KCD320	Dual Arm Wall Mount	–	20-2/5" (518 mm)	6-2/5" (163 mm)	40 lbs (18.2 kg)	●	■ □
KWD220	Dual Arm Wall Mount	–	20" (508 mm)	6-2/5" (163 mm)	40 lbs (18.2 kg)	●	■ □
KWD320	Dual Arm Wall Mount	–	24-1/2" (62.2 cm)	6-2/5" (163 mm)	75 lbs (34 kg)	●	■ □

*Maximum of 20 lbs per monitor and 40 lbs total mount weight capacity.

Table Stands

Model	Configuration	Height Adjustment	Max Extension	Depth in Closed Position	Weight Capacity	Centris™	Color(s)
KTP220	Horizontal Dual Array	–	–	–	60 lbs (27.2 kg)	●	■ □
KTP230	Vertical Dual Stand	–	–	–	60 lbs (27.2 kg)	●	■ □
KTP320	Horizontal Triple Array	–	–	–	90 lbs (40.8 kg)	●	■ □
KTP440	Quad Array	–	–	–	120 lbs (54.4 kg)	●	■ □

ACCESSORIES



KTA1000 (S/B) Grommet Connection for Table Stand Pole Mount
(specify extension column separately)



KTA1001 (S/B) Array Connector



KTA1002 (S/B) Free-Standing Base for Table Stand Mounts



KTA1014 (S/B) 14" (36 cm) Extension Column



KTA1028 (S/B) 28" (71 cm) Extension Column



KTA1042 (S/B) 42" (107) Extension Column



KTA220 (S/B) 27" (69 cm) Dual Monitor Horizontal Array Pole Connection



KTA225 (S/B) 34" (86 cm) Dual Monitor Horizontal Array Pole Connection



KTA320 (S/B) 41" (104 cm) Triple Monitor Horizontal Array Pole Connection



KTA420 (S/B) 53" (135 cm) Dual Monitor Horizontal Array Pole Connection



CHIEF MANUFACTURING IS A DIVISION OF CSAV, CHIEF SANUS AUDIO VISUAL
<http://workstation.chiefmfg.com> ■ chief@chiefmfg.com

USA/INTERNATIONAL ■ 8401 EAGLE CREEK PARKWAY, SAVAGE MN 55378 USA
■ P 800.582.6480 / 952.894.6280 ■ F 877.894.6918 / 952.894.6918

©2006 Chief Manufacturing Inc. Printed in the USA. 300019C 6/06. Chief is a registered trademark of Chief Manufacturing Inc. All other brand names or marks are used for identification purposes and are trademarks of their respective owners.

Distribuido por: T +34 976 572 279 • F +34 976 573 673 • www.tecco.net